



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/083,047	02/26/2002	David Joaquin Sandoval Moreno	11471/3	3120

7590 01/21/2005
BRINKS HOFER GILSON & LIONE
P.O. BOX 10395
CHICAGO, IL 60610

EXAMINER

EDWARDS JR, TIMOTHY

ART UNIT	PAPER NUMBER
----------	--------------

2635

DATE MAILED: 01/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/083,047

Applicant(s)

MORENO ET AL.

Examiner

Timothy Edwards, Jr.

Art Unit

2635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 February 2002.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2-12 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 February 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 2-12 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

With respect to claim 2, examiner cannot find clear, concise and exact terms language in the specification to support "the control equipment receives information related to the electro-valve being opened and closed, wherein the control equipment provides the information related to the electro-valve being opened and closed through the concentrator to the central data system." Examiner finds in specification, (page 4, line 32 to page 5, line 2, "Therefore, the aforementioned data system shall always have information corresponding to each customer, by means of its individual control equipment. It is possible to remotely control whether the electro-valve is opened or closed and consequently, whether the supply is connected or not." This language does not convey any means or method of the control equipment to receive information related to the electro-valve being opened and closed. Nor does it convey the control equipment provides the information related to the electro-valve being opened and closed through

the concentrator to the central data system. This language does not convey the present application is designed to or has the desire to obtain information regarding the opening and closing of the electro-valves.

With respect to claim 5, examiner cannot find clear, concise and exact terms language in the specification to support, "the electro-valve is utilized to balance fluid flow through the connection socket. The specification does not convey any means or method by which, the electro-valve balances fluid flow. Examiner cannot find any nexus between the control card and the counter "accessing opening and closing of the electro-valve due to fluid flow through the connection socket." Nor can the examiner find any means or method to accomplish this task.

With respect to claim 10, examiner cannot find clear, concise and exact terms language in the specification to support, "wherein the communication cable provides information related to an electro-valve..." The examiner cannot find language to support the present application is designed to or has the desire to obtain information regarding the opening and closing of the electro-valves.

1. Any inquiry concerning this communication should be directed to Examiner Timothy Edwards at telephone number (571) 272-3067. The examiner can normally be reached on Tuesday-Friday, 8:00 a.m.-6:00 p.m. The examiner cannot be reached on Mondays.

If attempt to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik, can be reached on (571) 272-3068.

Art Unit: 2635

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-4700, Mon-Fri., 8:30 a.m.-5:00 p.m.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or fax to:

(703), 872-9314 (for formal communications intended for entry)


Or:

(for informal or draft communications, please label "PROPOSED"

or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121

Crystal Drive, Arlington, VA, Sixth Floor, (Receptionist).



Timothy Edwards, Jr.
Primary Examiner
January 14, 2005